IASP

PAIN® 145 (2009) 367–370

PAIN®

www.elsevier.com/locate/pain

Author Index to Volume 145 (2009)

Aasly, J., see Nilsen, K.B., **145** 264
Abbadie, C., see Zhao, F., **145** 110
Adams, H., see Wideman, T.H., **145** 45
Aisiku, I.P., see McClish, D.K., **145** 246
Alford, D.P. Opioids for chronic pain in patients with substance abuse: Too much, too little or just right?, **145** 267
Arning, K., see Naleschinski, D., **145** 10

Baeyens, J.M., see de la Puente, B., **145** 294
Ballegaard, M., see Møller, A.T., **145** 237
Banta-Green, C., see Weisner, C.M., **145** 287
Baron, R., see Naleschinski, D., **145** 10
Bartley, J., Watkins, L.R. Comment on: Excessive opioid use and the development of chronic migraine, **145** 262
Bauer, M.C.R., see Sigtermans, M.J., **145** 304
Bautrant, E., see Mollo, M., **145** 262
Becerra, L., see Moulton, E.A., **145** 358
Beco, J., Mouchel, J., Mouchel, T., Spinosa, J.-P. Concerns about the use of colour doppler in the diagnosis of pudendal nerve entrapment, **145** 261
Beerthuizen, A., van 't Spijker, A., Huygen, F.J.P.M., Klein, J., de Wit, R. Is there an association between psychological factors and the Complex Regional Pain Syndrome type 1 (CRPS1) in adults? A systematic review, **145** 52
Beirens, K., see Crombez, G., **145** 31
Beivik, H., see Kvarstein, G., **145** 279
Benedetti, F., see Scherder, E., **145** 276
Bernardy, K., see Häuser, W., **145** 69
Biasiotta, A., see Truini, A., **145** 105
Boettger, M.K., see Segond von Banchet, G., **145** 151
Boettger, M.K., Weber, K., Schmidt, M., Gajda, M., Bräuer, R., Schaible, H.-G. Gait abnormalities differentially indicate pain or structural joint damage in monoarticular antigen-induced arthritis, **145** 142
Borsook, D. Ketamine and chronic pain – Going the distance, **145** 271
Borsook, D., see Moulton, E.A., **145** 358
Boudreau, D., see Weisner, C.M., **145** 287
Boulhais, M., see Bringuier, S., **145** 60
Bovbjerg, V.E., see McClish, D.K., **145** 246
Boyer, R., see Mollo, M., **145** 262
Bradesi, S., see Wang, Z., **145** 120
Bräuer, R., see Segond von Banchet, G., **145** 151
Bräuer, R., see Boettger, M.K., **145** 142
Bringuier, S., Picot, M.-C., Dadure, C., Rochette, A., Raux, O., Boulhais, M., Capdevila, X. A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations, **145** 60

Caliandro, P., see Truini, A., **145** 105
Campbell, C.I., see Weisner, C.M., **145** 287
Cantin, A.-P., see Sullivan, M.J.L., **145** 325
Capdevila, X., see Bringuier, S., **145** 60
Centeno, M.V., Mutso, A., Millecamps, M., Vania Apkarian, A. Prefrontal cortex and spinal cord mediated anti-neuropathy and analgesia induced by sarcosine, a glycine-T1 transporter inhibitor, **145** 176
Choe, W.J., see Messinger, R.B., **145** 184
Chopra, K., see Tiwari, V., **145** 129
Chung, J.M., see Kim, H.Y., **145** 332
Chung, K., see Kim, H.Y., **145** 332
Claas, F.H.J., see de Rooij, A.M., **145** 82
Clark, J. D., see Sahbaie, P., **145** 341
Clauw, D.J. Alpha-2-delta ligands in fibromyalgia: Is the glass half empty or full?, **145** 8
Cohen, D.A., see Haack, M., **145** 136
Collet, S., see Mollo, M., **145** 262
Cook, J.J., see Zhao, F., **145** 110
Creed, F., see Hyphantis, T., **145** 196
Crombez, G., Beirens, K., Van Damme, S., Eccleston, C., Fontaine, J. The unbearable lightness of somatisation: A systematic review of the concept of somatisation in empirical studies of pain, **145** 31
Cruccu, G., see Truini, A., **145** 105

Dadure, C., see Bringuier, S., **145** 60
Dahan, A., see Sigtermans, M.J., **145** 304
Dahman, B.A., see McClish, D.K., **145** 246
Davis, K.D., see Hashmi, J.A., **145** 350
de la Puente, B., Nadal, X., Pontillo-Salido, E., Sánchez-Arroyos, R., Ovalle, S., Palacious, G., Muro, A., Romeo, L., Entrena, J.M., Bayens, J.M., López-Garcia, J.A., Maldonado, R., Zamanillo, D., Vela, J.M. Maldonado, R., Zamanillo, D., Vela, J.M. Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145** 294
de Rooij, A.M., Florencia Gosso, M., Haasnoot, G.W., Marinus, J., Verduijn, W., Claas, F.H.J., van den Maagdenberg, A.M.J.M., van Hilten, J.J. HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia, **145** 82
de Souza, J.B., see Goffaux, P., **145** 18
de Wit, R., see Beerthuizen, A., **145** 52
Decety, J. Empathy, sympathy and the perception of pain, **145** 365
Defrin, R., Shramm, L., Eli, I. Gender role expectations of pain is associated with pain tolerance limit but not with pain threshold, **145** 230
Deumens, R., see Truin, M., **145** 312
Devor, M. How does gabapentin relieve neuropathic pain?, **145** 259
Digernes, R., see Kvarstein, G., **145** 279
Drews, E., Zimmer, A. Central sensitization needs sigma receptors, **145** 269

Eccleston, C., see Crombez, G., **145** 31
Egloff, N., Sabbioni, M.E.E., Salathé, C., Wiest, R., Juengling, F.D. Nondermatomal somatosensory deficits in patients with chronic pain disorder: Clinical findings and hypometabolic pattern in FDG-PET, **145** 252

doi:10.1016/S0304-3959(09)00495-3

El-Deredy, W., see Watson, A., **145** 24
Elander, J., Robinson, G., Mitchell, K., Morris, J. An assessment of the relative influence of pain coping, negative thoughts about pain, and pain acceptance on health-related quality of life among people with hemophilia, **145** 169
Eli, I., see Defrin, R., **145** 230
Entrena, J.M., see de la Puente, B., **145** 294

Fabbri, A., see Pavone, F., **145** 219
Falzano, L., see Pavone, F., **145** 219
Feldt-Rasmussen, U., see Møller, A.T., **145** 237
Fiorentini, C., see Pavone, F., **145** 219
Fischer, N., see Segond von Banchet, G., **145** 151
Florencia Gosso, M., see de Rooij, A.M., **145** 82
Fontaine, J., see Crombez, G., **145** 31
France, C.R., Rhudy, J.L., McGlone, S. Using normalized EMG to define the nociceptive flexion reflex (NFR) threshold: Further evaluation of standardized NFR scoring criteria, **145** 211

Gajda, M., see Boettger, M.K., **145** 142
Gajda, M., see Segond von Banchet, G., **145** 151
Galeotti, F., see Truini, A., **145** 105
Gassner, M., Ruscheweyh, R., Sandkühler, J. Direct excitation of spinal GABAergic interneurons by noradrenaline, **145** 204
Gibson, S., see Scherder, E., **145** 276
Gillespie, C., see Stevens, D.L., **145** 319
Goffaux, P., de Souza, J.B., Potvin, S., Marchand, S. Pain relief through expectation supersedes descending inhibitory deficits in fibromyalgia patients, **145** 18
Guo, T.-Z., see Sahbaie, P., **145** 341
Guo, Y., see Wang, Z., **145** 120
Guthrie, E., see Hyphantis, T., **145** 196

Haack, M., Lee, E., Cohen, D.A., Mullington, J.M. Activation of the prostaglandin system in response to sleep loss in healthy humans: Potential mediator of increased spontaneous pain, **145** 136
Haasnoot, G.W., see de Rooij, A.M., **145** 82
Hanley, K., see Stevens, D.L., **145** 319
Hargreaves, R., see Zhao, F., **145** 110
Hashmi, J.A., Davis, K.D. Women experience greater heat pain adaptation and habituation than men, **145** 350
Hasholt, L., see Møller, A.T., **145** 237
Häuser, W., Bernardy, K., Üçeyler, N., Sommer, C. Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials, **145** 69
Herr, K., see Scherder, E., **145** 276
Hoey, S., see Strong, J., **145** 86
Hol, P.K., see Kvarstein, G., **145** 279
Holschneider, D.P., see Wang, Z., **145** 120
Honig, W., see Truin, M., **145** 312
Huygen, F.J.P.M., see Beerthuizen, A., **145** 52
Hyphantis, T., Guthrie, E., Tomenson, B., Creed, F. Psychodynamic interpersonal therapy and improvement in interpersonal difficulties in people with severe irritable bowel syndrome, **145** 196

Iannetti, G.D., see Watson, A., **145** 24
Ibanez, C.R., see Litt, M.D., **145** 160
Indahl, A., see Kvarstein, G., **145** 279
Inghilleri, M., see Truini, A., **145** 105
Ingvar, M. Descending pain control and Fibromyalgia syndrome, **145** 1

Jagodic, M.M., see Messinger, R.B., **145** 184
Jensen, T.S., see Møller, A.T., **145** 237
Jevtovic-Todorovic, V., see Messinger, R.B., **145** 184
Jones, A.K.P., see Watson, A., **145** 24
Joosten, E.A.J., see Truin, M., **145** 312
Juengling, F.D., see Egloff, N., **145** 252

Kalet, A.L., see Stevens, D.L., **145** 319
Kessels, A.G.H., see Kleef, M.v., **145** 265
Kim, H.K., see Kim, H.Y., **145** 332
Kim, H.Y., Wang, J., Lee, I., Kim, H.K., Chung, K., Chung, J.M. Electroacupuncture suppresses capsaicin-induced secondary hyperalgesia through an endogenous spinal opioid mechanism, **145** 332
King, D., see Stevens, D.L., **145** 319
Kingery, W.S., see Sahbaie, P., **145** 341
Kleef, M.v., Kessels, A.G.H. Underpowered clinical trials: Time for a change, **145** 265
Klein, J., see Beerthuizen, A., **145** 52
Kølvraa, S., see Møller, A.T., **145** 237
Kreutzer, D.L., see Litt, M.D., **145** 160
Kuhad, A., see Tiwari, V., **145** 129
Kunz, M., Prkachin, K., Lautenbacher, S. The smile of pain, **145** 273
Kvarstein, G., Måwe, L., Indahl, A., Hol, P.K., Tennøe, B., Digernes, R., Stubhaug, A., Tønnessen, T.I., Beivik, H. A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up, **145** 279

Labus, J.S., see Wang, Z., **145** 120
Lan, H., see Møller, A.T., **145** 237
Laponis, R., see Stevens, D.L., **145** 319
Latham, J.R., see Messinger, R.B., **145** 184
Lautenbacher, S., see Kunz, M., **145** 273
Lautenbacher, S., see Scherder, E., **145** 276
Lee, E., see Haack, M., **145** 136
Lee, I., see Kim, H.Y., **145** 332
Lee, K., see Wang, Z., **145** 120
Lee, W.Y., see Messinger, R.B., **145** 184
Levenson, J.L., see McClish, D.K., **145** 246
Litt, M.D., Shafer, D.M., Ibanez, C.R., Kreutzer, D.L., Tawfik-Yonkers, Z. Momentary pain and coping in temporomandibular disorder pain: Exploring mechanisms of cognitive behavioral treatment for chronic pain, **145** 160
Lloyd, D., see Watson, A., **145** 24
López-García, J.A., see de la Puente, B., **145** 294
Luvisetto, S., see Pavone, F., **145** 219

Maarek, J.-M.I., see Wang, Z., **145** 120
Mailis Gagnon, A., Nicholson, K. Nondermatomal somatosensory deficits (NDSDs): A neuropsychobiological phenomenon?, **145** 12
Maldonado, R., see de la Puente, B., **145** 294
Malorni, W., see Pavone, F., **145** 219
Marchand, S., see Goffaux, P., **145** 18
Marinelli, S., see Pavone, F., **145** 219
Marinus, J., see Sigtermans, M.J., **145** 304
Marinus, J., see de Rooij, A.M., **145** 82
Mathews, T., see Strong, J., **145** 86
Måwe, L., see Kvarstein, G., **145** 279
May, A., see Stankewitz, A., **145** 14
Mayer, E.A., see Wang, Z., **145** 120
McClish, D.K., Smith, W.R., Dahman, B.A., Levenson, J.L., Roberts, J.D., Penberthy, L.T., Aisiku, I.P., Roseff, S.D., Bovbjerg, V.E. Pain site frequency and location in sickle cell disease: The PiSCES project, **145** 246
McGlone, S., see France, C.R., **145** 211
Mellgren, S.I., see Nilsen, K.B., **145** 264
Meng, X., see Zhao, F., **145** 110
Merrill, J.O., see Weisner, C.M., **145** 287
Merskey, H. Somatization: or another God that failed, **145** 4
Mertens, J.R., see Weisner, C.M., **145** 287
Messinger, R.B., Naik, A.K., Jagodic, M.M., Nelson, M.T., Lee, W.Y., Choe, W.J., Orestes, P., Latham, J.R., Todorovic, S.M., Jevtovic-Todorovic, V. *In vivo* silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy, **145** 184

Milioto, M., see Sullivan, M.J.L., **145** 325
Millecamps, M., see Centeno, M.V., **145** 176
Mitchell, G., see Strong, J., **145** 86
Mitchell, K., see Elander, J., **145** 169
Mollo, M., Bautrant, E., Rossi-Seignert, A.-K., Collet, S., Boyer, R., Thiers-Bautrant, D. Authors' response to a Letter to the Editor, **145** 262
Morris, J., see Elander, J., **145** 169
Mouchel, J., see Beco, J., **145** 261
Mouchel, T., see Beco, J., **145** 261
Moulton, E.A., Becerra, L., Borsook, D. An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145** 358
Mullington, J.M., see Haack, M., **145** 136
Muro, A., see de la Puente, B., **145** 294
Mutso, A., see Centeno, M.V., **145** 176

Nadal, X., see de la Puente, B., **145** 294
Nadeau, V., see Watson, A., **145** 24
Nagel, S., see Staud, R., **145** 96
Naik, A.K., see Messinger, R.B., **145** 184
Naleschinski, D., Arning, K., Baron, R. Fabry disease – Pain doctors have to find the missing ones, **145** 10
Nebuchennykh, M., see Nilsen, K.B., **145** 264
Nelson, M.T., see Messinger, R.B., **145** 184
New, F., see Strong, J., **145** 86
Nicholas, A.K., see Nilsen, K.B., **145** 264
Nicholas, M.K. First things first: Reductions in catastrophising before fear of movement, **145** 6
Nicholson, K., see Gagnon, A.M., **145** 12
Nilsen, K.B., Nicholas, A.K., Woods, C.G., Mellgren, S.I., Nebuchennykh, M., Aasly, J. Corrigendum to "Two novel SCN9A mutations causing insensitivity to pain" [Pain 143 (2009) 155–158], **145** 264

Orestes, P., see Messinger, R.B., **145** 184
Ovalle, S., see de la Puente, B., **145** 294

Padua, L., see Truini, A., **145** 105
Palacios, G., see de la Puente, B., **145** 294
Pavone, F., Luvisetto, S., Marinelli, S., Straface, E., Fabbri, A., Falzano, L., Fiorentini, C., Malorni, W. The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors, **145** 219
Pazzaglia, C., see Truini, A., **145** 105
Penberthy, L.T., see McClish, D.K., **145** 246
Petersen, G.L., see Vase, L., **145** 36
Pickering, G., see Scherder, E., **145** 276
Picot, M.-C., see Bringuier, S., **145** 60
Porro, C.A. Open your mind to placebo conditioning, **145** 2
Portillo-Salido, E., see de la Puente, B., **145** 294
Potvin, S., see Goffaux, P., **145** 18
Price, D.D., see Staud, R., **145** 96
Price, D.D., see Vase, L., **145** 36
Prkachin, K., see Kunz, M., **145** 273

Qiao, Y., see Sahbaie, P., **145** 341

Rasmussen, Å., see Møller, A.T., **145** 237
Raux, O., see Bringuier, S., **145** 60
Ray, G.T., see Weisner, C.M., **145** 287
Reicin, A.S., see Zhao, F., **145** 110
Rhudy, J.L., see France, C.R., **145** 211
Riley III, J.L., see Vase, L., **145** 36
Ritter, A., see Zhao, F., **145** 110
Roberts, J.D., see McClish, D.K., **145** 246
Robinson, G., see Elander, J., **145** 169
Robinson, M.E., see Staud, R., **145** 96
Rochette, A., see Bringuier, S., **145** 60
Romero, L., see de la Puente, B., **145** 294
Roseff, S.D., see McClish, D.K., **145** 246
Rossi-Seignert, A.-K., see Mollo, M., **145** 262
Ruscheweyh, R., see Gassner, M., **145** 204
Rysewyk, S.v. Comment on: Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions [Pain 2009; 1–2: 71–75], **145** 364

Sabbioni, M.E.E., see Egloff, N., **145** 252
Sahbaie, P., Shi, X., Guo, T.-Z., Qiao, Y., Yeomans, D.C., Kingery, W.S., Clark, J. D. Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145** 341
Salathé, C., see Egloff, N., **145** 252
Sánchez-Arroyos, R., see de la Puente, B., **145** 294
Sandkühler, J., see Gassner, M., **145** 204
Sarton, E.Y., see Sigtermans, M.J., **145** 304
Saunders, K., see Weisner, C.M., **145** 287
Schaible, H.-G., see Segond von Banchet, G., **145** 151
Schaible, H.-G., see Boettger, M.K., **145** 142
Scherder, E., Herr, K., Pickering, G., Gibson, S., Benedetti, F., Lautenbacher, S. Pain in dementia, **145** 276
Schmidt, M., see Boettger, M.K., **145** 142
Segond von Banchet, G., Boettger, M.K., Fischer, N., Gajda, M., Bräuer, R., Schaible, H.-G. Experimental arthritis causes tumor necrosis factor-α-dependent infiltration of macrophages into rat dorsal root ganglia which correlates with pain-related behavior, **145** 151
Sesmu Arbous, M., see Sigtermans, M.J., **145** 304
Shafer, D.M., see Litt, M.D., **145** 160
Shi, X., see Sahbaie, P., **145** 341
Shramm, L., see Defrin, R., **145** 230
Sigtermans, M.J., van Hilten, J.J., Bauer, M.C.R., Sesmu Arbous, M., Marinus, J., Sarton, E.Y., Dahan, A. Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1, **145** 304
Silverberg, M.J., see Weisner, C.M., **145** 287
Simmonds, M.J., see Sullivan, M.J.L., **145** 325
Smith, W.R., see McClish, D.K., **145** 246
Sommer, C., see Häuser, W., **145** 69
Sommer, C., see Møller, A.T., **145** 237
Spinosa, J.-P., see Beco, J., **145** 261
Stankewitz, A., May, A. The phenomenon of changes in cortical excitability in migraine is not migraine-specific – A unifying thesis, **145** 14
Staud, R., Nagel, S., Robinson, M.E., Price, D.D. Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145** 96
Stevens, D.L., King, D., Laponis, R., Hanley, K., Zabar, S., Kalet, A.L., Gillespie, C. Medical students retain pain assessment and management skills long after an experiential curriculum: A controlled study, **145** 319
Straface, E., see Pavone, F., **145** 219
Strong, J., Mathews, T., Sussex, R., New, F., Hoey, S., Mitchell, G. Pain language and gender differences when describing a past pain event, **145** 86
Stubhaug, A., see Kvarstein, G., **145** 279
Sullivan, M.D., see Weisner, C.M., **145** 287
Sullivan, M.J.L., see Wideman, T.H., **145** 45
Sullivan, M.J.L., Thibault, P., Simmonds, M.J., Milioto, M., Cantin, A.-P., Velly, A.M. Pain, perceived injustice and the persistence of post-traumatic stress symptoms during the course of rehabilitation for whiplash injuries, **145** 325
Sussex, R., see Strong, J., **145** 86

Tawfik-Yonkers, Z., see Litt, M.D., **145** 160
Taylor, C.P. Reply to: How does gabapentin relieve pain? (Marshall Devor), **145** 259
Tennøe, B., see Kvarstein, G., **145** 279
Thibault, P., see Sullivan, M.J.L., **145** 325
Thiers-Bautrant, D., see Mollo, M., **145** 262
Tiwari, V., Kuhad, A., Chopra, K. Tocotrienol ameliorates behavioral and biochemical alterations in the rat model of alcoholic neuropathy, **145** 129
Todorovic, S.M., see Messinger, R.B., **145** 184
Tomenson, B., see Hyphantis, T., **145** 196
Torvin Møller, A.., Winther Bach, F., Feldt-Rasmussen, U., Rasmussen, Å., Hasholt, L., Lan, H., Sommer, C., Kølvraa, S., Ballegaard, M., Statehelin Jensen, T., Functional and structural nerve fiber findings in heterozygote patients with Fabry disease, **145** 237
Tønnessen, T.I., see Kvarstein, G., **145** 279
Tracey, I., see Watson, A., **145** 24
Truin, M., van Kleef, M., Verboeket, Y., Deumens, R., Honig, W., Joosten, E.A.J. The effect of Spinal Cord Stimulation in mice with chronic neuropathic pain after partial ligation of the sciatic nerve, **145** 312
Truini, A., Padua, L., Biasiotta, A., Caliandro, P., Pazzaglia, C., Galeotti, F., Inghilleri, M., Cruccu, G. Differential involvement of A-delta and A-beta fibres in neuropathic pain related to carpal tunnel syndrome, **145** 105

Üçeyler, N., see Häuser, W., **145** 69

Van Damme, S., see Crombez, G., **145** 31
van den Maagdenberg, A.M.J.M., see de Rooij, A.M., **145** 82
van Hilten, J.J., see Sigtermans, M.J., **145** 304
van Hilten, J.J., see de Rooij, A.M., **145** 82
van Kleef, M., see Truin, M., **145** 312
van 't Spijker, A., see Beerthuizen, A., **145** 52
Vania Apkarian, A., see Centeno, M.V., **145** 176
Vase, L., Petersen, G.L., Riley III, J.L., Price, D.D. Factors contributing to large analgesic effects in placebo mechanism studies conducted between 2002 and 2007, **145** 36
Vela, J.M., see de la Puente, B., **145** 294
Velly, A.M., see Sullivan, M.J.L., **145** 325
Verboeket, Y., see Truin, M., **145** 312
Verduijn, W., see de Rooij, A.M., **145** 82
Vogt, B.A., see Watson, A., **145** 24
Von Korff, M., see Weisner, C.M., **145** 287

Wang, J., see Kim, H.Y., **145** 332
Wang, Z., Guo, Y., Bradesi, S., Labus, J.S., Maarek, J.-M.I., Lee, K., Winchester, W.J., Mayer, E.A., Holschneider, D.P. Sex differences in functional brain activation during noxious visceral stimulation in rats, **145** 120
Watkins, L.R., see Bartley, J., **145** 262
Watson, A., El-Deredy, W., Iannetti, G.D., Lloyd, D., Tracey, I., Vogt, B.A., Nadeau, V., Jones, A.K.P. Placebo conditioning and placebo analgesia modulate a common brain network during pain anticipation and perception, **145** 24
Weber, K., see Boettger, M.K., **145** 142
Weisner, C.M., Campbell, C.I., Ray, G. T., Saunders, K., Merrill, J.O., Banta-Green, C., Sullivan, M.D., Silverberg, M.J., Mertens, J.R., Boudreau, D., Von Korff, M. Trends in prescribed opioid therapy for non-cancer pain for individuals with prior substance use disorders, **145** 287
Welsh, D.C., see Zhao, F., **145** 110
Wideman, T.H., Adams, H., Sullivan, M.J.L. A prospective sequential analysis of the fear-avoidance model of pain, **145** 45
Wiest, R., see Egloff, N., **145** 252
Williams, D.S., see Zhao, F., **145** 110
Williams, M., see Zhao, F., **145** 110
Winchester, W.J., see Wang, Z., **145** 120
Woods, C.G., see Nilsen, K.B., **145** 264

Yeomans, D.C., see Sahbaie, P., **145** 341

Zabar, S., see Stevens, D.L., **145** 319
Zamanillo, D., see de la Puente, B., **145** 294
Zhao, F., Williams, M., Welsh, D.C., Meng, X., Ritter, A., Abbadie, C., Cook, J.J., Reicin, A.S., Hargreaves, R., Williams, D.S. fMRI investigation of the effect of local and systemic lidocaine on noxious electrical stimulation-induced activation in spinal cord, **145** 110
Zimmer, A., see Drews, E., **145** 269

IASP

PAIN® 145 (2009) 371–377

PAIN®

www.elsevier.com/locate/pain

Subject Index to Volume 145 (2009)

Adaptation
Women experience greater heat pain adaptation and habituation than men, **145**, 350
Alcoholic neuropathy
Tocotrienol ameliorates behavioral and biochemical alterations in the rat model of alcoholic neuropathy, **145**, 129
Allodynia
In vivo silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy, **145**, 184
Allodynia
Prefrontal cortex and spinal cord mediated anti-neuropathy and analgesia induced by sarcosine, a glycine-T1 transporter inhibitor, **145**, 176
Allodynia
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145**, 294
Allodynia
Tocotrienol ameliorates behavioral and biochemical alterations in the rat model of alcoholic neuropathy, **145**, 129
Analgesia
fMRI investigation of the effect of local and systemic lidocaine on noxious electrical stimulation-induced activation in spinal cord, **145**, 110
Antigen-induced arthritis
Gait abnormalities differentially indicate pain or structural joint damage in monoarticular antigen-induced arthritis, **145**, 142
Antinociception
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Anxiety
A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations, **145**, 60
Assessment
Pain language and gender differences when describing a past pain event, **145**, 86
Bacterial protein toxins
The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors, **145**, 219
Behavior
The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors, **145**, 219
Behavioral rating scales
A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations, **145**, 60
Brain
Pain relief through expectation supersedes descending inhibitory deficits in fibromyalgia patients, **145**, 18
Brain mapping
Sex differences in functional brain activation during noxious visceral stimulation in rats, **145**, 120
Burning
Women experience greater heat pain adaptation and habituation than men, **145**, 350
BV-weighted
fMRI investigation of the effect of local and systemic lidocaine on noxious electrical stimulation-induced activation in spinal cord, **145**, 110
Calcium
In vivo silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy, **145**, 184
Capsaicin
Electroacupuncture suppresses capsaicin-induced secondary hyperalgesia through an endogenous spinal opioid mechanism, **145**, 332
Carpal tunnel syndrome
Differential involvement of A-delta and A-beta fibres in neuropathic pain related to carpal tunnel syndrome, **145**, 105
Catastrophizing
A prospective sequential analysis of the fear-avoidance model of pain, **145**, 45
Catastrophizing
Momentary pain and coping in temporomandibular disorder pain: Exploring mechanisms of cognitive behavioral treatment for chronic pain, **145**, 160
CatWalk
The effect of Spinal Cord Stimulation in mice with chronic neuropathic pain after partial ligation of the sciatic nerve, **145**, 312
Central sensitization
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145**, 294
Cerebral blood flow
Sex differences in functional brain activation during noxious visceral stimulation in rats, **145**, 120
Children
A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations, **145**, 60
Chronic discogenic low back pain
A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up, **145**, 279
Chronic neuropathic pain
The effect of Spinal Cord Stimulation in mice with chronic neuropathic pain after partial ligation of the sciatic nerve, **145**, 312
Chronic pain
Nondermatomal somatosensory deficits in patients with chronic pain disorder: Clinical findings and hypometabolic pattern in FDG-PET, **145**, 252

doi:10.1016/S0304-3959(09)00496-5

Chronic pain management in managed care
Trends in prescribed opioid therapy for non-cancer pain for individuals with prior substance use disorders, **145**, 287
Chronic pain Muscle input
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145**, 96
Circumplex
Psychodynamic interpersonal therapy and improvement in interpersonal difficulties in people with severe irritable bowel syndrome, **145**, 196
Cognitive–behavioral treatment
Momentary pain and coping in temporomandibular disorder pain: Exploring mechanisms of cognitive behavioral treatment for chronic pain, **145**, 160
Colorectal distension
Sex differences in functional brain activation during noxious visceral stimulation in rats, **145**, 120
Complex Regional Pain Syndrome
HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia, **145**, 82
Complex Regional Pain Syndrome
Is there an association between psychological factors and the Complex Regional Pain Syndrome type 1 (CRPS1) in adults? A systematic review, **145**, 52
Conditioning
Placebo conditioning and placebo analgesia modulate a common brain network during pain anticipation and perception, **145**, 24
Conversion disorder
Nondermatomal somatosensory deficits in patients with chronic pain disorder: Clinical findings and hypometabolic pattern in FDG-PET, **145**, 252
Coping
Momentary pain and coping in temporomandibular disorder pain: Exploring mechanisms of cognitive behavioral treatment for chronic pain, **145**, 160
Cornea
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Counseling skills
Medical students retain pain assessment and management skills long after an experiential curriculum: A controlled study, **145**, 319
CRPS
Ketamine and chronic pain – Going the distance, **145**, 271
CRPS
Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1, **145**, 304
CRPS
Nondermatomal somatosensory deficits in patients with chronic pain disorder: Clinical findings and hypometabolic pattern in FDG-PET, **145**, 252
Cytokines
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145**, 341
Cytoskeleton
The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors, **145**, 219
D-Cycloserine
Prefrontal cortex and spinal cord mediated anti-neuropathy and analgesia induced by sarcosine, a glycine-T1 transporter inhibitor, **145**, 176
Descending inhibition
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Descending inhibition
Pain relief through expectation supersedes descending inhibitory deficits in fibromyalgia patients, **145**, 18
Diabetes
In vivo silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy, **145**, 184
Diary
Pain site frequency and location in sickle cell disease: The PiSCES project, **145**, 246
DiscTRODE
A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up, **145**, 279
Disease modulation
Ketamine and chronic pain – Going the distance, **145**, 271
Disease modulation
Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1, **145**, 304
Dorsal root ganglia
Experimental arthritis causes tumor necrosis factor-α-dependent infiltration of macrophages into rat dorsal root ganglia which correlates with pain-related behavior, **145**, 151
Dystonia
HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia, **145**, 82
Editorial
Ketamine and chronic pain – Going the distance, **145**, 271
EGFP
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Electroacupuncture
Electroacupuncture suppresses capsaicin-induced secondary hyperalgesia through an endogenous spinal opioid mechanism, **145**, 332
ERK
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145**, 294
Etanercept
Gait abnormalities differentially indicate pain or structural joint damage in monoarticular antigen-induced arthritis, **145**, 142
Expectations
Pain relief through expectation supersedes descending inhibitory deficits in fibromyalgia patients, **145**, 18
Experience sampling
Momentary pain and coping in temporomandibular disorder pain: Exploring mechanisms of cognitive behavioral treatment for chronic pain, **145**, 160
Eye
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Fabry disease
Functional and structural nerve fiber findings in heterozygote patients with Fabry disease, **145**, 237
Facial expression of pain
The smile of pain, **145**, 273
False-evaluations
A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations, **145**, 60
Fear of movement
A prospective sequential analysis of the fear-avoidance model of pain, **145**, 45
Fibromyalgia
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145**, 96
Fibromyalgia
Pain relief through expectation supersedes descending inhibitory deficits in fibromyalgia patients, **145**, 18
Fibromyalgia syndrome
Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials, **145**, 69

fMRI
fMRI investigation of the effect of local and systemic lidocaine on noxious electrical stimulation-induced activation in spinal cord, **145**, 110
fMRI
Placebo conditioning and placebo analgesia modulate a common brain network during pain anticipation and perception, **145**, 24
Frequency
Pain site frequency and location in sickle cell disease: The PiSCES project, **145**, 246
Functional brain imaging
Nondermatomal somatosensory deficits in patients with chronic pain disorder: Clinical findings and hypometabolic pattern in FDG-PET, **145**, 252
Functional hemisyndrome
Nondermatomal somatosensory deficits in patients with chronic pain disorder: Clinical findings and hypometabolic pattern in FDG-PET, **145**, 252
GABA
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Gabapentin
Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials, **145**, 69
Gait analysis
Gait abnormalities differentially indicate pain or structural joint damage in monoarticular antigen-induced arthritis, **145**, 142
Gavage
Prefrontal cortex and spinal cord mediated anti-neuropathy and analgesia induced by sarcosine, a glycine-T1 transporter inhibitor, **145**, 176
Gender
Pain language and gender differences when describing a past pain event, **145**, 86
Gender role expectations
Gender role expectations of pain is associated with pain tolerance limit but not with pain threshold, **145**, 230
Genetic association
HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia, **145**, 82
Habituation
Women experience greater heat pain adaptation and habituation than men, **145**, 350
Headache
Activation of the prostaglandin system in response to sleep loss in healthy humans: Potential mediator of increased spontaneous pain, **145**, 136
Heat hyperalgesia
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145**, 341
Heat pain
Women experience greater heat pain adaptation and habituation than men, **145**, 350
Hemophilia
An assessment of the relative influence of pain coping, negative thoughts about pain, and pain acceptance on health-related quality of life among people with hemophilia, **145**, 169
HLA class I
HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia, **145**, 82
HLA class II
HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia, **145**, 82
Human
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Hyperalgesia
In vivo silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy, **145**, 184
Hyperalgesia
Electroacupuncture suppresses capsaicin-induced secondary hyperalgesia through an endogenous spinal opioid mechanism, **145**, 332
Hyperalgesia
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145**, 96
Hyperalgesia
Factors contributing to large analgesic effects in placebo mechanism studies conducted between 2002 and 2007, **145**, 36
Hyperalgesia
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145**, 294
Hyperalgesia
Tocotrienol ameliorates behavioral and biochemical alterations in the rat model of alcoholic neuropathy, **145**, 129
IBS
Psychodynamic interpersonal therapy and improvement in interpersonal difficulties in people with severe irritable bowel syndrome, **145**, 196
In vitro
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Inflammation
Activation of the prostaglandin system in response to sleep loss in healthy humans: Potential mediator of increased spontaneous pain, **145**, 136
Intra-annular radiofrequency thermal treatment
A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up, **145**, 279
Joint pain
An assessment of the relative influence of pain coping, negative thoughts about pain, and pain acceptance on health-related quality of life among people with hemophilia, **145**, 169
Joint pain
Gait abnormalities differentially indicate pain or structural joint damage in monoarticular antigen-induced arthritis, **145**, 142
Ketamine
Ketamine and chronic pain – Going the distance, **145**, 271
Ketamine
Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1, **145**, 304
Laser
Placebo conditioning and placebo analgesia modulate a common brain network during pain anticipation and perception, **145**, 24
Laser-evoked potentials
Differential involvement of A-delta and A-beta fibres in neuropathic pain related to carpal tunnel syndrome, **145**, 105
Lidocaine
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145**, 96
Lidocaine
fMRI investigation of the effect of local and systemic lidocaine on noxious electrical stimulation-induced activation in spinal cord, **145**, 110
Light
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Locomotor behavior
Gait abnormalities differentially indicate pain or structural joint damage in monoarticular antigen-induced arthritis, **145**, 142

Low-voltage-activated
In vivo silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy, **145**, 184
Macrophage
Experimental arthritis causes tumor necrosis factor-α-dependent infiltration of macrophages into rat dorsal root ganglia which correlates with pain-related behavior, **145**, 151
Magnitude
Factors contributing to large analgesic effects in placebo mechanism studies conducted between 2002 and 2007, **145**, 36
Measurement
Using normalized EMG to define the nociceptive flexion reflex (NFR) threshold: Further evaluation of standardized NFR scoring criteria, **145**, 211
Mechanical allodynia
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145**, 341
Mechanisms of treatment
Momentary pain and coping in temporomandibular disorder pain: Exploring mechanisms of cognitive behavioral treatment for chronic pain, **145**, 160
Medical education
Medical students retain pain assessment and management skills long after an experiential curriculum: A controlled study, **145**, 319
Medically unexplained symptoms
The unbearable lightness of somatisation: A systematic review of the concept of somatisation in empirical studies of pain, **145**, 31
Meta-analysis
Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials, **145**, 69
Mice
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Mice
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145**, 341
Mice
The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors, **145**, 219
Mouse
The effect of Spinal Cord Stimulation in mice with chronic neuropathic pain after partial ligation of the sciatic nerve, **145**, 312
Multiple physical complaints
The unbearable lightness of somatisation: A systematic review of the concept of somatisation in empirical studies of pain, **145**, 31
Muscle pain
Activation of the prostaglandin system in response to sleep loss in healthy humans: Potential mediator of increased spontaneous pain, **145**, 136
Neck pain
Pain, perceived injustice and the persistence of post-traumatic stress symptoms during the course of rehabilitation for whiplash injuries, **145**, 325
Negative thoughts
An assessment of the relative influence of pain coping, negative thoughts about pain, and pain acceptance on health-related quality of life among people with hemophilia, **145**, 169
Nerve growth factor
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145**, 341
Nerve injury
Prefrontal cortex and spinal cord mediated anti-neuropathy and analgesia induced by sarcosine, a glycine-T1 transporter inhibitor, **145**, 176
Neurokinin receptor
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145**, 341
Neuropathic pain
Differential involvement of A-delta and A-beta fibres in neuropathic pain related to carpal tunnel syndrome, **145**, 105
Neuropathic pain
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145**, 294
NMDA receptor
Ketamine and chronic pain – Going the distance, **145**, 271
NMDA receptor
Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1, **145**, 304
Nociceptive flexion reflex
Using normalized EMG to define the nociceptive flexion reflex (NFR) threshold: Further evaluation of standardized NFR scoring criteria, **145**, 211
Nondermatomal somatosensory deficits
Nondermatomal somatosensory deficits in patients with chronic pain disorder: Clinical findings and hypometabolic pattern in FDG-PET, **145**, 252
Noradrenaline
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Noxious
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Noxious electrical stimulation
fMRI investigation of the effect of local and systemic lidocaine on noxious electrical stimulation-induced activation in spinal cord, **145**, 110
Ophthalmic
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Opioid
Electroacupuncture suppresses capsaicin-induced secondary hyperalgesia through an endogenous spinal opioid mechanism, **145**, 332
μ-Opioid receptors
The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors, **145**, 219
Oxidative stress
Tocotrienol ameliorates behavioral and biochemical alterations in the rat model of alcoholic neuropathy, **145**, 129
Pain
In vivo silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy, **145**, 184
Pain
A prospective sequential analysis of the fear-avoidance model of pain, **145**, 45
Pain
Activation of the prostaglandin system in response to sleep loss in healthy humans: Potential mediator of increased spontaneous pain, **145**, 136
Pain
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Pain
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Pain
Functional and structural nerve fiber findings in heterozygote patients with Fabry disease, **145**, 237
Pain
Pain site frequency and location in sickle cell disease: The PiSCES project, **145**, 246

Pain
Psychodynamic interpersonal therapy and improvement in interpersonal difficulties in people with severe irritable bowel syndrome, **145**, 196
Pain
The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors, **145**, 219
Pain
The unbearable lightness of somatisation: A systematic review of the concept of somatisation in empirical studies of pain, **145**, 31
Pain acceptance
An assessment of the relative influence of pain coping, negative thoughts about pain, and pain acceptance on health-related quality of life among people with hemophilia, **145**, 169
Pain communication
The smile of pain, **145**, 273
Pain coping
An assessment of the relative influence of pain coping, negative thoughts about pain, and pain acceptance on health-related quality of life among people with hemophilia, **145**, 169
Pain language
Pain language and gender differences when describing a past pain event, **145**, 86
Pain location
Pain site frequency and location in sickle cell disease: The PiSCES project, **145**, 246
Pain management
Medical students retain pain assessment and management skills long after an experiential curriculum: A controlled study, **145**, 319
Pain threshold
Gender role expectations of pain is associated with pain tolerance limit but not with pain threshold, **145**, 230
Pain tolerance
Gender role expectations of pain is associated with pain tolerance limit but not with pain threshold, **145**, 230
Pain-related behavior
Experimental arthritis causes tumor necrosis factor-α-dependent infiltration of macrophages into rat dorsal root ganglia which correlates with pain-related behavior, **145**, 151
Pain-related behavior
Gait abnormalities differentially indicate pain or structural joint damage in monoarticular antigen-induced arthritis, **145**, 142
Patch–clamp
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Perceived injustice
Pain, perceived injustice and the persistence of post-traumatic stress symptoms during the course of rehabilitation for whiplash injuries, **145**, 325
Performance-based assessment
Medical students retain pain assessment and management skills long after an experiential curriculum: A controlled study, **145**, 319
Peripheral neuropathy
In vivo silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy, **145**, 184
Phenylephrine
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Placebo
Placebo conditioning and placebo analgesia modulate a common brain network during pain anticipation and perception, **145**, 24
Placebo analgesia
Factors contributing to large analgesic effects in placebo mechanism studies conducted between 2002 and 2007, **145**, 36
Placebo analgesia
Placebo conditioning and placebo analgesia modulate a common brain network during pain anticipation and perception, **145**, 24
Post-traumatic stress symptoms
Pain, perceived injustice and the persistence of post-traumatic stress symptoms during the course of rehabilitation for whiplash injuries, **145**, 325
Postoperative pain
A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations, **145**, 60
Prazosin
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Pregabalin
Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials, **145**, 69
Prescription opioid episodes
Trends in prescribed opioid therapy for non-cancer pain for individuals with prior substance use disorders, **145**, 287
Pressure
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145**, 96
Prostaglandin
Activation of the prostaglandin system in response to sleep loss in healthy humans: Potential mediator of increased spontaneous pain, **145**, 136
Provocation discography
A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up, **145**, 279
Psychodynamic interpersonal psychotherapy
Psychodynamic interpersonal therapy and improvement in interpersonal difficulties in people with severe irritable bowel syndrome, **145**, 196
Psychometrics
A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations, **145**, 60
Psychopathology
Is there an association between psychological factors and the Complex Regional Pain Syndrome type 1 (CRPS1) in adults? A systematic review, **145**, 52
Psychophysics
Women experience greater heat pain adaptation and habituation than men, **145**, 350
Quality of life
An assessment of the relative influence of pain coping, negative thoughts about pain, and pain acceptance on health-related quality of life among people with hemophilia, **145**, 169
Quantitative sensory testing
Functional and structural nerve fiber findings in heterozygote patients with Fabry disease, **145**, 237
Randomized controlled trial
A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up, **145**, 279
Randomized controlled trial
Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials, **145**, 69
Rat
Experimental arthritis causes tumor necrosis factor-α-dependent infiltration of macrophages into rat dorsal root ganglia which correlates with pain-related behavior, **145**, 151
Receiver operating characteristics
Using normalized EMG to define the nociceptive flexion reflex (NFR) threshold: Further evaluation of standardized NFR scoring criteria, **145**, 211

Rho GTPases
The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors, **145**, 219
RIII
Using normalized EMG to define the nociceptive flexion reflex (NFR) threshold: Further evaluation of standardized NFR scoring criteria, **145**, 211
Sequential analysis
A prospective sequential analysis of the fear-avoidance model of pain, **145**, 45
Sex
Gender role expectations of pain is associated with pain tolerance limit but not with pain threshold, **145**, 230
Sex difference
Sex differences in functional brain activation during noxious visceral stimulation in rats, **145**, 120
Sex differences
Women experience greater heat pain adaptation and habituation than men, **145**, 350
Sharp
Women experience greater heat pain adaptation and habituation than men, **145**, 350
Sickle cell disease
Pain site frequency and location in sickle cell disease: The PiSCES project, **145**, 246
Sigma-1 receptor
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145**, 294
Skin
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145**, 341
Skin biopsy
Functional and structural nerve fiber findings in heterozygote patients with Fabry disease, **145**, 237
Sleep deprivation
Activation of the prostaglandin system in response to sleep loss in healthy humans: Potential mediator of increased spontaneous pain, **145**, 136
Smile
The smile of pain, **145**, 273
Somatisation
The unbearable lightness of somatisation: A systematic review of the concept of somatisation in empirical studies of pain, **145**, 31
Spinal cord
fMRI investigation of the effect of local and systemic lidocaine on noxious electrical stimulation-induced activation in spinal cord, **145**, 110
Spinal cord
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145**, 294
Spinal Cord Stimulation
The effect of Spinal Cord Stimulation in mice with chronic neuropathic pain after partial ligation of the sciatic nerve, **145**, 312
Spinal dorsal horn
Direct excitation of spinal GABAergic interneurons by noradrenaline, **145**, 204
Spine
Pain relief through expectation supersedes descending inhibitory deficits in fibromyalgia patients, **145**, 18
Standard nerve conduction study
Differential involvement of A-delta and A-beta fibres in neuropathic pain related to carpal tunnel syndrome, **145**, 105
Substance P
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision, **145**, 341
Substance use disorders
Trends in prescribed opioid therapy for non-cancer pain for individuals with prior substance use disorders, **145**, 287
Suggestions
Factors contributing to large analgesic effects in placebo mechanism studies conducted between 2002 and 2007, **145**, 36
Systematic review
Is there an association between psychological factors and the Complex Regional Pain Syndrome type 1 (CRPS1) in adults? A systematic review, **145**, 52
Systematic review
The unbearable lightness of somatisation: A systematic review of the concept of somatisation in empirical studies of pain, **145**, 31
Systematic review
Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials, **145**, 69
Tactile sensitivity
Prefrontal cortex and spinal cord mediated anti-neuropathy and analgesia induced by sarcosine, a glycine-T1 transporter inhibitor, **145**, 176
Temporomandibular dysfunction
Momentary pain and coping in temporomandibular disorder pain: Exploring mechanisms of cognitive behavioral treatment for chronic pain, **145**, 160
Tender point
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145**, 96
Threshold
Using normalized EMG to define the nociceptive flexion reflex (NFR) threshold: Further evaluation of standardized NFR scoring criteria, **145**, 211
Tocotrienol
Tocotrienol ameliorates behavioral and biochemical alterations in the rat model of alcoholic neuropathy, **145**, 129
Tonic
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145**, 96
Tonic pain
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study, **145**, 96
Trigeminal ganglion
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Trigeminal nucleus
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Tumor necrosis factor-α
Experimental arthritis causes tumor necrosis factor-α-dependent infiltration of macrophages into rat dorsal root ganglia which correlates with pain-related behavior, **145**, 151
Unpleasant
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Unpleasantness
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Uvea
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Ventromedial posterior thalamus
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358
Ventroposteromedial thalamus
An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway, **145**, 358

Visceral pain
Sex differences in functional brain activation during noxious visceral stimulation in rats, **145**, 120
Vitamin E
Tocotrienol ameliorates behavioral and biochemical alterations in the rat model of alcoholic neuropathy, **145**, 129
Whiplash injury
Pain, perceived injustice and the persistence of post-traumatic stress symptoms during the course of rehabilitation for whiplash injuries, **145**, 325
Wind-up
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury, **145**, 294
Withdrawal reflex
Pain relief through expectation supersedes descending inhibitory deficits in fibromyalgia patients, **145**, 18
Work disability
A prospective sequential analysis of the fear-avoidance model of pain, **145**, 45

PAIN® 145 (2009) 378–380

PAIN®

www.elsevier.com/locate/pain

Contents to Volume 145 (2009)

Numbers 1–2 – September 2009

COMMENTARIES

Descending pain control and Fibromyalgia syndrome
M. Ingvar (Sweden) 1
Open your mind to placebo conditioning
C.A. Porro (Italy) 2
Somatization: or another God that failed
H. Merskey (Canada) 4
First things first: Reductions in catastrophising before fear of movement
M.K. Nicholas (Australia) 6
Alpha-2-delta ligands in fibromyalgia: Is the glass half empty or full?
D.J. Clauw (USA) 8
Fabry disease – Pain doctors have to find the missing ones
D. Naleschinski, K. Arning, R. Baron (Germany) 10
Nondermatomal somatosensory deficits (NDSDs): A neuropsychobiological phenomenon?
A. Mailis Gagnon, K. Nicholson (Canada) 12

TOPICAL REVIEW

The phenomenon of changes in cortical excitability in migraine is not migraine-specific – A unifying thesis
A. Stankewitz, A. May (Germany) 14

RESEARCH PAPERS

Pain relief through expectation supersedes descending inhibitory deficits in fibromyalgia patients*
P. Goffaux, J.B. de Souza, S. Potvin, S. Marchand (Canada) 18
Placebo conditioning and placebo analgesia modulate a common brain network during pain anticipation and perception*
A. Watson, W. El-Deredy, G.D. Iannetti, D. Lloyd, I. Tracey, B.A. Vogt, V. Nadeau, A.K.P. Jones (UK, USA) 24
The unbearable lightness of somatisation: A systematic review of the concept of somatisation in empirical studies of pain*
G. Crombez, K. Beirens, S. Van Damme, C. Eccleston, J. Fontaine (Belgium, UK) 31
Factors contributing to large analgesic effects in placebo mechanism studies conducted between 2002 and 2007
L. Vase, G.L. Petersen, J.L. Riley III, D.D. Price (Denmark, USA) 36
A prospective sequential analysis of the fear-avoidance model of pain*
T.H. Wideman, H. Adams, M.J.L. Sullivan (Canada) 45
Is there an association between psychological factors and the Complex Regional Pain Syndrome type 1 (CRPS1) in adults? A systematic review
A. Beerthuizen, A. van 't Spijker, F.J.P.M. Huygen, J. Klein, R. de Wit (The Netherlands) 52
A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations
S. Bringuier, M.-C. Picot, C. Dadure, A. Rochette, O. Raux, M. Boulhais, X. Capdevila (France) 60
Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials*
W. Häuser, K. Bernardy, N. Üçeyler, C. Sommer (Germany) 69
HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia
A.M. de Rooij, M. Florencia Gosso, G.W. Haasnoot, J. Marinus, W. Verduijn, F.H.J. Claas, A.M.J.M. van den Maagdenberg, J.J. van Hilten (The Netherlands) 82
Pain language and gender differences when describing a past pain event
J. Strong, T. Mathews, R. Sussex, F. New, S. Hoey, G. Mitchell (Australia) 86
Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study
R. Staud, S. Nagel, M.E. Robinson, D.D. Price (USA) 96
Differential involvement of A-delta and A-beta fibres in neuropathic pain related to carpal tunnel syndrome
A. Truini, L. Padua, A. Biasiotta, P. Caliandro, C. Pazzaglia, F. Galeotti, M. Inghilleri, G. Cruccu (Italy) 105
fMRI investigation of the effect of local and systemic lidocaine on noxious electrical stimulation-induced activation in spinal cord
F. Zhao, M. Williams, D.C. Welsh, X. Meng, A. Ritter, C. Abbadie, J.J. Cook, A.S. Reicin, R. Hargreaves, D.S. Williams (USA) 110

doi:10.1016/S0304-3959(09)00497-7

Sex differences in functional brain activation during noxious visceral stimulation in rats
Z. Wang, Y. Guo, S. Bradesi, J.S. Labus, J.-M.I. Maarek, K. Lee, W.J. Winchester, E.A. Mayer, D.P. Holschneider (USA, UK) 120
Tocotrienol ameliorates behavioral and biochemical alterations in the rat model of alcoholic neuropathy
V. Tiwari, A. Kuhad, K. Chopra (India) 129
Activation of the prostaglandin system in response to sleep loss in healthy humans: Potential mediator of increased spontaneous pain
M. Haack, E. Lee, D.A. Cohen, J.M. Mullington (USA) 136
Gait abnormalities differentially indicate pain or structural joint damage in monoarticular antigen-induced arthritis
M.K. Boettger, K. Weber, M. Schmidt, M. Gajda, R. Bräuer, H.-G. Schaible (Germany) 142
Experimental arthritis causes tumor necrosis factor-α-dependent infiltration of macrophages into rat dorsal root ganglia which correlates with pain-related behavior
G. Segond von Banchet, M.K. Boettger, N. Fischer, M. Gajda, R. Bräuer, H.-G. Schaible (Germany) 151
Momentary pain and coping in temporomandibular disorder pain: Exploring mechanisms of cognitive behavioral treatment for chronic pain
M.D. Litt, D.M. Shafer, C.R. Ibanez, D.L. Kreutzer, Z. Tawfik-Yonkers (USA) 160
An assessment of the relative influence of pain coping, negative thoughts about pain, and pain acceptance on health-related quality of life among people with hemophilia
J. Elander, G. Robinson, K. Mitchell, J. Morris (UK) 169
Prefrontal cortex and spinal cord mediated anti-neuropathy and analgesia induced by sarcosine, a glycine-T1 transporter inhibitor
M.V. Centeno, A. Mutso, M. Millecamps, A. Vania Apkarian (USA, Canada) 176
In vivo silencing of the $Ca_V3.2$ T-type calcium channels in sensory neurons alleviates hyperalgesia in rats with streptozocin-induced diabetic neuropathy
R.B. Messinger, A.K. Naik, M.M. Jagodic, M.T. Nelson, W.Y. Lee, W.J. Choe, P. Orestes, J.R. Latham, S.M. Todorovic, V. Jevtovic-Todorovic (USA, South Korea) 184
Psychodynamic interpersonal therapy and improvement in interpersonal difficulties in people with severe irritable bowel syndrome
T. Hyphantis, E. Guthrie, B. Tomenson, F. Creed (UK, Greece) 196
Direct excitation of spinal GABAergic interneurons by noradrenaline
M. Gassner, R. Ruscheweyh, J. Sandkühler (Austria) 204
Using normalized EMG to define the nociceptive flexion reflex (NFR) threshold: Further evaluation of standardized NFR scoring criteria
C.R. France, J.L. Rhudy, S. McGlone (USA) 211
The Rac GTPase-activating bacterial protein toxin CNF1 induces analgesia up-regulating μ-opioid receptors
F. Pavone, S. Luvisetto, S. Marinelli, E. Straface, A. Fabbri, L. Falzano, C. Fiorentini, W. Malorni (Italy) 219
Gender role expectations of pain is associated with pain tolerance limit but not with pain threshold
R. Defrin, L. Shramm, I. Eli (Israel) 230
Functional and structural nerve fiber findings in heterozygote patients with Fabry disease*
A. Torvin Møller, F. Winther Bach, U. Feldt-Rasmussen, Å. Rasmussen, L. Hasholt, H. Lan, C. Sommer, S. Kølvraa, M. Ballegaard, T. Statchelin Jensen (Denmark, Germany) 237
Pain site frequency and location in sickle cell disease: The PiSCES project
D.K. McClish, W.R. Smith, B.A. Dahman, J.L. Levenson, J.D. Roberts, L.T. Penberthy, I.P. Aisiku, S.D. Roseff, V.E. Bovbjerg (USA) 246

CLINICAL NOTE

Nondermatomal somatosensory deficits in patients with chronic pain disorder: Clinical findings and hypometabolic pattern in FDG-PET*
N. Egloff, M.E.E. Sabbioni, C. Salathé, R. Wiest, F.D. Juengling (Switzerland) 252

LETTERS TO THE EDITOR

How does gabapentin relieve neuropathic pain?
M. Devor (Israel) 259
Reply to: How does gabapentin relieve pain? (Marshall Devor)
C.P. Taylor (USA) 259
Concerns about the use of colour doppler in the diagnosis of pudendal nerve entrapment
J. Beco, J. Mouchel, T. Mouchel, J.-P. Spinosa (Belgium, France, Switzerland) 261
Authors' response to a Letter to the Editor
M. Mollo, E. Bautrant, A.-K. Rossi-Seignert, S. Collet, R. Boyer, D. Thiers-Bautrant (France) 262
Comment on: Excessive opioid use and the development of chronic migraine
J. Bartley, L.R. Watkins (New Zealand) 262

CORRIGENDUM

Corrigendum to "Two novel SCN9A mutations causing insensitivity to pain" [Pain 143 (2009) 155–158]
K.B. Nilsen, A.K. Nicholas, C.G. Woods, S.I. Mellgren, M. Nebuchennykh, J. Aasly (Norway, UK)

*A Commentary regarding this article can be found in this issue of *PAIN*® 264

Number 3 – October 2009

COMMENTARIES

Underpowered clinical trials: Time for a change
M. van Kleef, A.G.H. Kessels (The Netherlands) 265

Opioids for chronic pain in patients with substance abuse: Too much, too little or just right?
D.P. Alford (USA) 267
Central sensitization needs sigma receptors
E. Drews, A. Zimmer (Germany) 269
Ketamine and chronic pain – Going the distance
D. Borsook (USA) 271

TOPICAL REVIEWS

The smile of pain
M. Kunz, K. Prkachin, S. Lautenbacher (Germany, Canada) 273
Pain in dementia
E. Scherder, K. Herr, G. Pickering, S. Gibson, F. Benedetti, S. Lautenbacher (The Netherlands, USA, France, Australia, Italy, Germany) 276

RESEARCH PAPERS

A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up*
G. Kvarstein, L. Måwe, A. Indahl, P.K. Hol, B. Tennøe, R. Digernes, A. Stubhaug, T.I. Tønnessen, H. Beivik (Norway) 279
Trends in prescribed opioid therapy for non-cancer pain for individuals with prior substance use disorders*
C.M. Weisner, C.I. Campbell, G.T. Ray, K. Saunders, J.O. Merrill, C. Banta-Green, M.D. Sullivan, M.J. Silverberg, J.R. Mertens, D. Boudreau, M. Von Korff (USA) 287
Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury*
B. de la Puente, X. Nadal, E. Portillo-Salido, R. Sánchez-Arroyos, S. Ovalle, G. Palacios, A. Muro, L. Romero, J.M. Entrena, J.M. Baeyens, J.A. López-García, R. Maldonado, D. Zamanillo, J.M. Vela (Spain) 294
Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1*
M.J. Sigtermans, J.J. van Hilten, M.C.R. Bauer, M.S. Arbous, J. Marinus, E.Y. Sarton, A. Dahan (The Netherlands) 304
The effect of Spinal Cord Stimulation in mice with chronic neuropathic pain after partial ligation of the sciatic nerve
M. Truin, M. van Kleef, Y. Verboeket, R. Deumens, W. Honig, E.A.J. Joosten (The Netherlands) 312
Medical students retain pain assessment and management skills long after an experiential curriculum: A controlled study
D.L. Stevens, D. King, R. Laponis, K. Hanley, S. Zabar, A.L. Kalet, C. Gillespie (USA) 319
Pain, perceived injustice and the persistence of post-traumatic stress symptoms during the course of rehabilitation for whiplash injuries
M.J.L. Sullivan, P. Thibault, M.J. Simmonds, M. Milioto, A.-P. Cantin, A.M. Velly (Canada) 325
Electroacupuncture suppresses capsaicin-induced secondary hyperalgesia through an endogenous spinal opioid mechanism
H.Y. Kim, J. Wang, I. Lee, H.K. Kim, K. Chung, J.M. Chung (USA) 332
Role of substance P signaling in enhanced nociceptive sensitization and local cytokine production after incision
P. Sahbaie, X. Shi, T.-Z. Guo, Y. Qiao, D.C. Yeomans, W.S. Kingery, J.D. Clark (USA) 341
Women experience greater heat pain adaptation and habituation than men
J.A. Hashmi, K.D. Davis (Canada) 350

CLINICAL NOTE

An fMRI case report of photophobia: Activation of the trigeminal nociceptive pathway
E.A. Moulton, L. Becerra, D. Borsook (USA) 358

LETTERS TO THE EDITOR

Comment on: Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions [Pain 2009; 1–2: 71–75]
S. van Rysewyk (Australia) 364
Empathy, sympathy and the perception of pain
J. Decety (USA) 365

Author Index to Volume 145 367

Subject Index to Volume 145 371

Contents to Volume 145 378

*A Commentary regarding this article can be found in this issue of *PAIN*®